


THINK SAFETY, THINK GODREJ.



DRIVEN BY **TECHNOLOGY**

Technology is profoundly changing the human experience. Life today is faster and smarter, mirroring the technology that drives the change. At Godrej Locks, technology is the essence of who we are. Inspiring greater innovation and a deeper embrace of future possibilities, right now.

PRESENTING THE ADVANTIS RANGE

Created by Godrej Locks, Advantis is a range of high-tech locks that sits neatly between science and science fiction. As the name suggests, these are seriously advanced locks. Packed with almost space-age functions that are also simple to use. These locks have a high style quotient too, with their sleek elegance speaking volumes about your aesthetic sense. Simply put, Advantis brings the future of home safety onto your door.

FINGERPRINT TECHNOLOGY NOW FOR YOUR HOME.







Back

Front



360° FINGERPRINT REGISTRATION:

This mechanism is so easy to use that no matter how you place your finger in the slot, the machine will recognise your fingerprint and unlock the door.

Created by Godrej Locks, Advantis Revolution stands at the cutting-edge of home safety. Its fingerprint identification capability ensures both easy usage as well as enhanced protection. Sleek, intelligent and very secure, the Advantis Revolution aligns future science for your protection.

REVOLUTION



PRIVACY FUNCTION:

If the safety button is switched on, the lock can't be opened from outside by either RFID or password or fingerprint access. Only mechanical key override is possible.



ADJUSTABLE SPYCODE:

Random numbers can be added before or after the password in the presence of strangers, thereby maintaining secrecy.



ACCESS MODE:

Password: 4 to 12 digits for enhanced password strength (register up to 4 unique passwords).



EMERGENCY BATTERY:

In case the battery is completely discharged, an external 9V battery can be used to operate the lock.



BREAK-IN DAMAGE ALARM:

An alarm will go off if the password is entered incorrectly 5 times in a row.



LOW BATTERY INDICATION:

A beep sound alerts you in advance to replace the battery.



AUTOLOCKING:

Eliminates the hassle of manually locking the door.



RFID CARD:

Register upto 100 cards for multiple user access.



COMPATIBILITY:

The lock is compatible with the remote and video door phone for ease of operation.



MECHANICAL KEY:

In case of an emergency, the lock can be opened with a mechanical key.



MULTI-LEVEL VOLUME CONTROL:

Adjustable volume with mute function for silent operation.



FIRE SENSOR:

Automatically unlocks the door in case of a fire i.e. when the temperature inside the house rises above 65 degree Celsius.

Lock can be integrated with remote and VDP through PCB. (these are optional and sold separately)

SO ADVANCED, IT GOES FROM SCIENCE TO SCIENCE FICTION.







Back

Front

Secure your home, with the futuristic Advantis Technosecure, the electronic safety marvel from Godrej Locks. It offers comprehensive safety, with features that run the gamut of modern safety capabilities, to give you peace of mind, now and in the future.

TECHNOSECURE



PRIVACY FUNCTION:

If the safety button is switched on, the lock can't be opened from outside by either RFID or password. Only mechanical key override is possible.



ADJUSTABLE SPYCODE:

Random numbers can be added before or after the password in the presence of strangers, thereby maintaining secrecy.



ACCESS MODE:

Password: 4 to 12 digits for enhanced password strength (Register up to 4 user passwords, one OTP and one master password).



EMERGENCY BATTERY:

LOW BATTERY INDICATION:

In case the battery is completely discharged, an external 9V battery can be used to operate the lock.




BREAK-IN DAMAGE ALARM:

An alarm will go off if the password is entered incorrectly 5 times in a row.



AUTOLOCKING:

Eliminates the hassle of manually locking the door.



RFID CARD:

Register upto 100 cards for multiple user access.



COMPATIBILITY:

The lock is compatible with remote and video door phone for ease of operation.



MECHANICAL KEY:

In case of an emergency, the lock can be opened with a mechanical key.



MULTI-LEVEL VOLUME CONTROL:

Adjustable volume with mute function for silent operation.



FIRE SENSOR:

Automatically unlocks the door in case of a fire i.e. when the temperature inside the house rises above 65 degree Celsius.

Lock can be integrated with remote and VDP through PCB. (these are optional and sold separately)

LET YOUR DOOR SHOWCASE THE MOST ADVANCED SAFETY TECHNOLOGY.







360° FINGERPRINT REGISTRATION:

This mechanism is so easy to use that no matter how you place your finger in the slot, the machine will recognise your fingerprint and unlock the door.

The rim lock on your door now has an ultra-modern avatar, with the Advantis Rimtronic. Secure your door with this complete rim lock safety system, which comes with an array of contemporary safety features. Giving you the convenience of a rim lock along with the safety assurance of the latest safety technology.

RIMTRONIC



ACCESS MODE:

Password: 4 to 12 digits for enhanced password strength (register up to 4 unique passwords).



ADJUSTABLE SPYCODE:

Random numbers can be added before or after the password in the presence of strangers, thereby maintaining secrecy.



AUTOLOCKING:

Eliminates the hassle of manually locking the door.



PRIVACY FUNCTION:

When the safety button is switched on, the lock cannot be opened from the outside, whether by fingerprint or password. To switch it off, simply unlock the door from the inside.



BREAK-IN DAMAGE ALARM:

MULTI-LEVEL VOLUME CONTROL:

Adjustable volume with mute function for silent operation.

An alarm will go off if the password is entered incorrectly 5 times in a row.



LOW BATTERY INDICATION:

A beep sound alerts you in advance to replace the battery.



FIRE SENSOR:

Automatically unlocks the door in case of a fire i.e. when the temperature inside the house rises above 65 degree Celsius.



EMERGENCY BATTERY:

In case the battery is completely discharged, an external 9V battery can be used to operate the lock.



COMPATIBILITY:

The lock is compatible with the remote and video door phone for ease of operation.

THE FUTURE OF LOCKING SOLUTIONS, NOW ON YOUR GLASS DOOR.





Give your glass doors the most contemporary technological protection, with the Advantis Crystal. Specially designed for the safety demands of glass doors, Crystal, with its cutting-edge features, gives your glass doors the extra safety they need.

CRYSTAL



ACCESS MODE:

Password: 4 to 12 digits for enhanced password strength (register up to 4 unique passwords).



ADJUSTABLE SPYCODE:

Random numbers can be added before or after the password in the presence of strangers, thereby maintaining secrecy.



MULTI-LEVEL VOLUME CONTROL:

Adjustable volume with mute function for silent operation.



BREAK-IN DAMAGE ALARM:

An alarm will go off if the password is entered incorrectly 5 times in a row.



EMERGENCY BATTERY:

In case the battery is completely discharged, an external 9V battery can be used to operate the lock.



COMPATIBILITY:

The lock is compatible with the remote and video door phone for ease of operation.



RFID CARD:

Register upto 100 cards for multiple user access.



AUTOLOCKING:

Eliminates the hassle of manually locking the door.



PRIVACY FUNCTION:

When the safety button is switched on, the lock cannot be opened from the outside, whether by RFID or password. To switch it off, simply unlock the door from the inside.



LOW BATTERY INDICATION:

A beep sound alerts you in advance to replace the battery.



FIRE SENSOR:

Automatically unlocks the door in case of a fire i.e. when the temperature inside the house rises above 65 degree Celsius.

THE ADVANCED RIM LOCK WITH THE FINEST DIGITAL TECHNOLOGY.





A digital upgrade to the rim locks on your doors, the Advantis Rimtronic RF is an evolved safety system that incorporates the latest technological advances and a complete keyless solution, for the benefit of your home's safety.

RIMTRONIC RF



RFID CARD:

Register upto 100 cards for multiple user access.



AUTOLOCKING:

Eliminates the hassle of manually locking the door.



LOW BATTERY INDICATION:

A beep sound alerts you in advance to replace the battery.



PRIVACY FUNCTION:

If the safety button is switched on, the lock can't be opened from outside by either RFID or password. Only to turn it off, unlock the door from inside.



MULTI-LEVEL VOLUME CONTROL:

Adjustable volume with mute function for silent operation.





COMPATIBILITY:

The lock is compatible with the remote and video door phone for ease of operation.



ACCESS MODE:

Password: 4 to 12 digits for enhanced password strength (register up to 4 unique passwords).



ADJUSTABLE SPYCODE:

Random numbers can be added before or after the password in the presence of strangers, thereby maintaining secrecy.



BREAK-IN DAMAGE ALARM:

An alarm will go off if the password is entered incorrectly 5 times in a row.



FIRE SENSOR:

Automatically unlocks the door in case of a fire i.e. when the temperature inside the house rises above 65 degree Celsius.



EMERGENCY BATTERY:

In case the battery is completely discharged, an external 9V battery can be used to operate the lock.

FUTURISTIC DIGITAL SAFETY FOR YOUR WOODEN CABINET.





Wooden cabinets in a home are used to store all kinds of valuable things, from critical documents to jewellery to family heirlooms. Protect these, with the Advantis Digital Cabinet Lock. Its advanced digital technology and smart features offer a convenient safety system for your wooden cabinet.

DIGITAL CABINET LOCK



ACCESS MODE:

Password: 4 to 9 digits for enhanced password strength (register up to 14 unique passwords).



LOW BATTERY INDICATION:

A beep sound alerts you in advance to replace the battery.



OTP PASSWORD:

One time Password facility available in Public Mode, to restrict the access for one time usage.



SECURE MODE:

In case the password is entered incorrectly 3 times in a row, an alarm goes off to alert the owner of unauthorised access.



AUTOLOCKING:

Autolocking only in private mode. Eliminates the hassle of manually locking the door.



BREAK-IN DAMAGE ALARM:

An alarm will go off if the password is entered incorrectly 5 times in a row.



EMERGENCY POWER:

In case the battery is completely discharged, power cable with 9V battery can be used to operate the lock.



DUAL MODE:

The lock can be set to private mode or public mode, for residential and commercial use respectively.

TECHNICAL FEATURES COMPARISON							
Product Code	4967	2998	5259	5000	4101	3000	2999
Product Name	Revolution	Revolution	Technosecure	Crystal	Rimtronic	Rimtronic - RF	Digital Cabinet Loc
Туре	Mortise	Mortise	Mortise	Glass	Rim	Rim	Rim
Variant	Black	Gold	Black	Black	Black	Black	Black
Biometric	Yes. Upto 100	Yes. Upto 100	No	No	Yes. Upto 100	No	No
RFID card	Yes. Upto 100	Yes. Upto 100	Yes. Upto 100	Yes. Upto 100	No	Yes. Upto 100	No
Mechanical Key	Yes. (2 No.s)	Yes. (2 No.s)	Yes. (2 No.s)	No	No	No	No
Pin Password	Yes. (6 No.s)	Yes. (6 No.s)	Yes (6 No.s)	Yes. (6 No.s)	Yes. (6 No.s)	Yes. (6 No.s)	Yes. (14 No.s)
OTP/Guest Password	Yes	Yes	Yes	Yes	Yes	Yes	Yes (in Pubilc mode)
Alarm (Break/Damage)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fire Alarm (at temp >65°)	Yes	Yes	Yes	Yes	Yes	Yes	No
Smart Touchpad	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Automatic locking	Yes	Yes	Yes	Yes	Yes	Yes	Yes (In Private mode)
Low Battery Indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Emergency Powersupply	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Auto/Manual lock mode	Yes	Yes	Yes	Yes	Yes	Yes	Dual Mode: Public & Private
Privacy Lock	Yes	Yes	Yes	Yes	Yes	Yes	No
Remote Control (optional)	Yes	Yes	Yes	Yes	Yes	Yes	No
Integration with VDP (optional)	Yes	Yes	Yes	Yes	Yes	Yes	No
		PR	DDUCT SPEC	IFICAITON			
Fingerprint sensor	360° Biometric	360° Biometric	NA	NA	360° Biometric	NA	NA
RFID card Frequency	13.5 MHz	13.5 MHz	13.5 MHz	13.5 MHz	NA	13.5 MHz	NA
Pin Code Digits	4-12	4-12	4-12	4-12	4-12	4-12	4-9
Door Thickness	40-65mm (wooden)	40-65mm (wooden)	40-65mm) (wooden)	35-65mm (wooden)	8-12mm (glass)	35-65mm (wooden)	12-32mm* (wooden)
Backset	70mm	70mm	70mm	NA	NA	NA	NA
Maximum Remote controls that can be connected **	5	5	5	5	5	5	NA
Maximum Video Door Phones that can be connected **	5	5	5	5	5	5	NA

^{*}If installation is on a door with thickness of more than 22 mm, please inform this to the service team beforehand.

^{**}Combination of Remote control and VDP can be connected to a maximum limit of 5. (eg: 4 remote + 1 VDP, or 2 Remote + 3 VDP)

Digital Mortise Lock



Advantis Technosecure

Advantis Revolution

Digital Rim Lock







Advantis Rimtronic

Digital Glass Door Lock



Advantis Crystal

Digital Cabinet Lock



Advantis
Digital Cabinet Lock

Accessories



Remote Controller



VDP Module



Connecting PCB





6 8

